
## CORRECTED VERSION

## (19) World Intellectual Property Organization

International Bureau





PCT

# 

### (10) International Publication Number WO 2004/046379 A1

(51) International Patent Classification7: C12N 15/11

C12Q 1/68 //

(21) International Application Number:

PCT/FI2003/000888

(22) International Filing Date:

19 November 2003 (19.11.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

20022064

19 November 2002 (19.11.2002)

(71) Applicant (for all designated States except US): MO-BIDIAG OY [FI/FI]; Haartmanninkatu 8, FIN-00290 Helsinki (FI).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): ROTH, Stina [FI/FI]; Ohjaajantie 18 A 6, FIN-00400 Helsinki (FI). JALAVA, Jari [FI/FI]; Niklaksenkatu 10 as 28, FIN-20100 Turku (FI). NIKKARI, Simo [FI/FI]; Sirkkalankatu 25 b 46, FIN-20700 Turku (FI).
- (74) Agent: KOLSTER OY AB; Iso Roobertinkatu 23, P.O.Box 148, FIN-00121 Helsinki (FI).
- (81) Designated States (national): AE, AG, AL, AM, AT (utility model), AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ (utility model), CZ, DE (utility model), DE, DK (utility model), DK, DM, DZ, EC, EE (utility model), EE, EG, ES, FI (utility model), FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT (utility model), PT, RO, RU, SC, SD, SE, SG, SK (utility model), SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO utility model (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### Declarations under Rule 4.17:

- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV. MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD. SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD,
- of inventorship (Rule 4.17(iv)) for US only

#### Published:

- with international search report
- (48) Date of publication of this corrected version:

26 August 2004

(15) Information about Correction:

see PCT Gazette No. 35/2004 of 26 August 2004, Section II

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: NUCLEIC ACID PROBES AND BROAD-RANGE PRIMERS FROM REGIONS IN TOPOISOMERASE GENES, AND METHODS IN WHICH THEY ARE USED

(57) Abstract: The invention relates to nucleic acid probes and to broadrange primers that are useful in the identification of bacterial species and the diagnosis of bacterial infections. Especially, the invention relates to specific nucleic acid probes that originate from hyper-variable regions situated near the conserved sequences of topoisomerase genes of infection-causing bacteria. The invention also relates to broad-range primers originating from the conserved regions of topoisomerase genes. Especially, the primers originate from conserved regions of the genes encoding the gyrB and/or parE protein. In addition, the invention relates to the use of these nucleic acid probes and broadrange primers in the diagnosis of bacterial infections as well as to diagnostic methods in which these nucleic acid probes and broad-range primers are used.



